

IFW



Attorney Docket: CH2M.07/CIP

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: MUELLER ET AL.

SERIAL NO.: 10/727,441

FILED: DECEMBER 3, 2003

TITLE: METHOD AND APPARATUS FOR
TREATMENT OF A FLUID STREAM

EXAMINER:

ART UNIT: 1723

CONFIRMATION NO.: 7116

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

SUBMISSION OF CORRECTED APPLICATION DATA SHEET

Sir:

Applicant respectfully requests that the title of the above referenced application be changed to reflect the correct title of the application which is METHOD AND APPARATUS FOR THE TREATMENT OF A FLUID STREAM. A corrected Application Data Sheet is submitted herewith.

No fee is believed to be associated with the filing of this document. The undersigned hereby authorizes the Commissioner to charge any deficiency of fees submitted herewith to deposit account number 19-5117.

Respectfully Submitted,

James L. Brown, #48,576
Swanson & Bratschun, LLC
1745 Shea Center Drive, Suite 330
Highlands Ranch, Colorado 80129
303.268.0066
303.268.0065 (FAX)

cc: Rob Hoge

S:\CLIENT FOLDERS\CH2M HILL\07 TREAT DRINK WATER\CIP\CH2M07CIPCORRADS.DOC

37 CFR 1.8

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on 12/14/2004

Signature:
Name: Lisa S. Susser